

CITY OF LOYALTON

COUNTY OF SIERRA
605 SCHOOL STREET
P.O. BOX 128
LOYALTON, CALIFORNIA 96118
(530) 993-6750
cityofloyalton@digitalpath.net



OFFICE OF THE MAYOR

AGENDA FOR THE SPECIAL MEETING OF THE LOYALTON CITY COUNCIL 1:00 P.M. – LOYALTON CITY HALL 605 SCHOOL STREET JUNE 5, 2018 LOYALTON, CA.

AGENDA AND PACKET AVAILABLE ON CITY WEB SITE cityofloyalton.org

**NEXT ORDINANCE #421
NEXT RESOLUTION #5-2018**

CALL TO ORDER:

PLEDGE OF ALLEGIANCE

ROLL CALL:

APPROVAL OF AGENDA:

ANNOUNCEMENTS:

PUBLIC COMMENT:

**A SPECIAL MEETING IS BEING HELD TO CONDUCT THE FOLLOWING
BUSINESS:**

1. Discussion and Possible action regarding the Loyalton Fire Department's request for funds from the Loyalton Fire Dept. Reserve Account to potentially purchase a 1998 Freightliner S & S Pumper Tanker.

ADJOURNMENT

1998 Freightliner/S&S Pumper Tanker



[More media](#)

Year	Make/Brand	Model	VIN/Serial	Condition	Category
1998	Freightliner	S & S	1FVZTMDXWH907774	See Description	Fire Trucks

Auction Ends:	6/4/18 11:30 AM ET
Remaining:	4 Days 20 Hrs
Refresh Bid & Time	
Starting Bid:	\$10,000.00
Bids:	9
High Bidder:	k*****6
Current Bid:	\$32,100.00
Bid Increment:	\$100.00
Minimum Bid:	\$32,200.00
Terms and Conditions	

1,451 visitors

1998 Freightliner/S & S Pumper Tanker, Chassis Model FL112, Engine Model M-11 Cummins 370 hp, Allison Transmission HD4060P, Water Capacity=3058 gallons, Diesel Fuel Capacity=60 gallons, 1250 GPM Pump, Twin Steer Rear Axle. For questions, additional description or to view Tanker please contact Chief Robert Hanmer with Oberlin Fire Department at 440-774-3211 ext. 4.

Additional Info: [Chassis Specifications.pdf](#), [T 45 Drawing.pdf](#)

» Seller Information

[Ask a question](#)



Seller Name: [New Russia Township, OH](#)
 Asset Contact: [Lisa Akers](#) (Phone: 440-775-7782)
 Asset Location: 46300 Butternut Ridge Rd
 Oberlin, Ohio 44074-9731
[Map to this location](#)

46300 Butternut Ridge Road
Oberlin, OH 44074

Q Inspection

Most items offered for sale are used and may contain defects not immediately detectable. Bidders may inspect the property prior to bidding. Inspection is by appointment only. Please see the contact above to schedule an inspection. Inspection hours Mon. thru Fri. 9am-2pm

\$ Payment

The Buyer's Certificate will contain information to schedule payment & removal.

Payment in full is due not later than five (5) business days from the time and date of the Buyer's Certificate. Acceptable forms of payment are: U. S. Currency, Certified Cashiers Check, Money Order Visa-MC-Discover accepted, or a Company Check (with Bank Letter guaranteeing funds - mandatory).

Checks shall be made payable to: New Russia Township

🚚 Removal

Property may be removed by appointment only and appointments must be made at least 24 hours in advance. All items must be removed within ten (10) business days from the time and date of issuance of the Buyer's Certificate. Removal days Mon. thru Fri. 9am until 2pm.

The Buyer will make all arrangements and perform all work necessary, including packing, loading and transportation of the property. No Assistance will be provided. A daily storage fee of \$10.00 may be charged for any item not removed within the 10 business days allowed and stated on the Buyer's Certificate.

📷 Media





Special Instructions

NOTICE: If you are the winning bidder and default by failing to adhere to this seller's terms and conditions your account with GovDeals WILL BE LOCKED.

Guaranty Waiver. All property is offered for sale 'AS IS, WHERE IS.' New Russia Township, makes no warranty, guaranty or representation of any kind, expressed or implied, as to the merchantability or fitness for any purpose of the property offered for sale. Please note that upon removal of the property, all sales are final.

Description Warranty. Seller warrants to the Buyer that the property offered for sale will conform to its description. Any claim for misdescription must be made prior to removal of the property. If Seller confirms that the property does not conform to the description, Seller will keep the property and refund any money paid. The liability of the seller shall not exceed the actual purchase price of the property.

?Questions and Answers

Q: could you please add pics of under body and frame? thank you. (5/24/18 2:37 PM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:05 AM)

Q: When was last pump certification? What are hours and miles? Is there any rust or corrosion on the undercarriage and can you please add undercarriage photos? Thank you very much. (5/25/18 12:59 PM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:05 AM)

Q: Have you had any issues/major repairs on the rear steers? (5/26/18 1:29 PM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:06 AM)

Q: Can you post the miles and hours please. (5/26/18 1:41 PM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:07 AM)

Q: What is the overall Weight of the truck loaded? Also how much 5" hose can be stored in the bumper? (5/28/18 7:05 AM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:06 AM)

Q: How much of the equipment will stay with the truck. (5/28/18 11:10 AM)

A: Please refer all requests to: Chief Robert Hanmer Oberlin Fire Department 430 S. Main St. Oberlin, OH 44074 Phone: 440-774-3211 Ext. 4 Fax: 440-774-7809 Thank you! (5/29/18 9:07 AM)

Help Desk Hours: Monday - Friday, 8 am - 7 pm ET.
[Contact us](#) with any questions, comments or concerns.
 Copyright © 2018, GovDeals, Inc. All Rights Reserved [Site Map](#)

LIQUIDITY
SERVICES

AuctionDeals
A LIQUIDITY SERVICES MARKETPLACE


Government Liquidation
A LIQUIDITY SERVICES MARKETPLACE

Liquidation.com
A LIQUIDITY SERVICES MARKETPLACE

Network INTERNATIONAL
A LIQUIDITY SERVICES MARKETPLACE


GoIndustry DoveBid
A LIQUIDITY SERVICES MARKETPLACE

IRONDIRECT



3000 GALLON
 84 X 60 CROSS SECTION
 174 SHELL DIMENSION
 180 OVERALL DIMENSION
 177 SKIRT LENGTH
 (4F SATIN FINISH)

116" APPROXIMATE OAH
 AT TOP OF LIGHTBAR



ACCEPTED: _____

DATE: _____

S&S
FIRE APPARATUS CO.
 1533 W. 1900 N. - 18
 SPOKANE, IDAHO 83405
 TEL: 781-961-3384 FAX: 781-961-3389

FOR: NEW RESSEA TYP - FLUIZ DEMO #5

DRAWING NAME: D043001
 REVISION DATE: 09/05/97
 SCALE: FIT
 FIT

DRAWN BY: D. KELLEY

IMPORTANT NOTICE TO CUSTOMERS
 THIS DRAWING IS FOR VISUAL REPRESENTATION ONLY. WRITTEN SPECIFICATIONS SUPERSEDE THE DRAWING. THIS DRAWING IS TO BE USED IN CONJUNCTION WITH DETAILED DRAWINGS FOR PRODUCTION. THIS DRAWING REMAINS THE PROPERTY OF S&S FIRE APPARATUS AND MAY NOT BE REPRODUCED WITHOUT PERMISSION. THE DRAWING MUST BE SURRENDERED UPON RECEIPT.

DO NOT SCALE THIS DRAWING

Freightliner

SPECPRO 2.06

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.
 OBERLIN
 FAIRMOUNT IN

Stoops Freightliner
 6105 COLUMBUS AVE
 Anderson IN 46013
 317-644-1400

PREPARED BY: SCOTT MURRAY

DATA
 BOOK
 CODE

WEIGHTS- (+)
 FRONT REAR

----- SPECIFICATIONS -----

MODEL

001-047 FL112 MODEL	7520	5960
002-004 SET-BACK AXLE TRUCK PACKAGE		
019-002 NON-TOWING PROVISION FOR TRUCKS		

GENERAL SERVICE

AA1-002 TRUCK CONFIGURATION		
A85-020 FIRE SERVICE		
AA3-027 FIRE PUMPER BODY		
AA4-002 LIQUID BULK COMMODITY		
AA5-002 100% ON HIGHWAY/CITY TERRAIN		
AB5-001 SMOOTH CONCRETE OR ASPHALT ROAD SURFACE		
AB1-008 MAXIMUM 8% EXPECTED GRADE		
AA6-002 DOMICILED, USA 49 STATES		
A66-99D EXP FRT AXLE LOAD.....	16000	LBS
A68-99D EXP REAR AXLE LOAD.....	44000	LBS
A63-99D EXP GVW CAPACITY.....	60000	LBS
A70-99D MAXIMUM EXP GCW.....	60000	LBS
995-002 APPLICATION CATEGORY 2		

TRUCK SERVICE

A88-99D TRUCK BODY LENGTH.....	16.0	FT
A89-99D CAB TO BODY CLEAR.....	4	IN
AA8-99D FRAME LENGTH BOC.....	0	IN

ENGINE

101-1AZ CUM M11-450E+ - 1800RPM ELEC 1450LB/FT.
 @ 1200RPM 94EPA/CARB



Freightliner

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.

page 2

DATA
BOOK
CODE

----- SPECIFICATIONS -----

WEIGHTS-(+)
FRONT REAR

ELECTRONIC ENGINE CONTROL

ED2	ROAD SPEED LIMIT.....	45 MPH
-----	-----------------------	--------

ENGINE EQUIPMENT

105-004	THERMOS BOTTLE STOPPER-TYPE DIPSTICK ..	
014-031	CENTER LOWER WINDSHIELD AIR INTAKE	
190-001	DONALDSON ONE-STAGE AIR CLEANER	
* 124-045	190 AMP POWERLINE ALTERNATOR.....	-10
292-058	(3) 12V F/L 1031 MF BATTERIES 2250CCA .	
290-017	FRAME MOUNTED BATTERY BOX	
* 293-006	BATTERY SHUTOFF SWITCH.....	
107-026	HOLSET 13.2 CFM QE-TYPE COMPRESSOR	
131-002	TEFLON DISCHARGE LINE	
152-041	ENGINE WARNING W/SHUTDN W/MAN OVERRIDE	
128-032	CBRAKE BY JACOBS ENGINE BRAKE	80
016-013	SINGLE RH MTD HORIZ MUFFLER & HORIZ....	-25 -25
	TAILPIPE	
273-023	HORTON HT/S ADVANTAGE FAN CLUTCH	
276-001	AUTOMATIC FAN CONTROL	
110-003	CUM SPIN ON FUEL FILTER	
118-002	FLEETGUARD LF3000 FULL FLOW/BYPASS OIL.	
	FILTER	
120-009	FLEETGUARD COOLANT FILTER	
266-028	RADIATOR: 1200 SQ IN ALUMINUM	
103-036	ETHYLENE GLYCOL PRE-CHARGED SCA TO -30F	
	HEAVY DUTY COOLANT	
171-001	SIL HEATER/RAD/DEAERATION & VENT HOSES	
172-001	CONSTANT TORQUE CLAMPS (SILICONE HOSES)	
155-006	DELCO-REMY 42 MT 12V STARTER	

TRANSMISSION & EQUIPMENT

342-344	ALLISON HD4060P 6SPD AUTO TRANSMISSION	110	70
343-024	5-SPD FIRE TRUCK- PUMPER VOCATION		
353-001	TRANSMISSION INTERFACE WIRING FOR.....		
	ALLISON MD/HD TRANSMISSIONS		
341-018	MAGNETIC ENGINE DRAIN, TRANSMISSION,...		
	REAR AXLES FILL & DRAIN PLUGS		
345-003	ELEC PUSH-BUTTON TRANSMISSION CONTROLS		



Freightliner

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.

page 4

DATA
BOOK
CODE

WEIGHTS-(+)
FRONT REAR

----- SPECIFICATIONS -----	WEIGHTS-(+)	
	FRONT	REAR
490-011 WABCO ABS W/DIAGNOSTICS, W/O TRACTION.. ENHANCEMENT, W/O TRAILER ABS, 4S/4M		
871-001 NYLON CHASSIS AIR LINES		
480-009 BENDIX AD-9 AIR DRYER WITH HEATER	20	20
460-001 STEEL AIR RESERVOIRS		
477-003 BENDIX DV2 AUTO DRAIN VALVE WET TANK ..		

TRAILER CONNECTIONS

481-997 OMIT STANDARD TRAILER AIR HOSE		
484-998 NO GLADHAND & LIGHT PLUG HOLDER BOC ...		
297-998 NO TRAILER ELECTRICAL CABLE CONNECTION		
310-997 OMIT 12' STRAIGHT 7-WAY CABLE		

FRAME & WHEELBASE

* 545-615 242" WHEELBASE.....		
546-030 FRAME: 11/32" X 3-1/2" X 10-15/16"..... (8.73MM X 91MM X 277.8MM) STEEL	480	130
547-001 1/4" (6.35MM) STRAIGHT INNER FRAME REINF	210	400
* 552-000 -176 inch TRUCK FRAME OVERHANG.....		
553-001 SQUARE END OF FRAME		

CHASSIS EQUIPMENT

674-997 OMIT BACK OF CAB ACCESS		
556-096 12" CHROMED STEEL BUMPER - THREE PIECE. W/COLLAPSIBLE ENDS	10	
558-001 FRONT TOW HOOKS	10	
574-003 SINGLE LICENSE PLATE BRKT BELOW BUMPER		
590-997 OMIT STANDARD MUD FLAPS		-15

FUEL TANKS & EQUIPMENT

206-151 60 GALLON/227 LITER R H FUEL TANK		
204-998 NO L H FUEL TANK		
218-001 23" DIA. FUEL TANK(S)		
215-006 POLISHING OF ALUMINUM TANKS W/SS BANDS		
122-036 RACOR 690RPI2 FUEL/WATER SEPARATOR W/.. THERMOSTATICALLY CONTROLLED HEAT	10	
216-020 F/L EQUIPLO INBOARD FUEL SYSTEM		



Freightliner

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.

page 5

DATA
BOOK
CODE

----- SPECIFICATIONS -----

WEIGHTS-(+)
FRONT REAR

221-001 HAYDEN FUEL COOLER

FRONT TIRES, HUBS, & WHEELS

093-319	MICHELIN PKZA1.....	315/80R 22.5 18 PLY	56
418-001	FRONT GUNITE IRON HUBS		
502-132	22.5 X 9.00 FRT STL ACCU DISC WHEELS...		64
	PART NUMBER 28510PW		
496-002	F/L 1.50" BALL SEAT DISC WHEEL NUTS ...		

REAR DRIVE TIRES, HUBS, & WHEELS

094-350	MICHELIN XM+S4.....	11R 22.5 14 PLY	40
450-002	REAR GUNITE IRON HUBS		
505-074	22.5 X 8.25 RR STL ACCU DISC WHEELS....		
	PART NUMBER 27403PW		
497-002	F/L 1.50" BALL SEAT DISC WHEEL NUTS ...		

CAB EXTERIOR

829-001	112" BBC STEEL CAB DOUBLE GALVANIZED ..	
650-013	HYDRAMOUNT CAB MOUNTS	
754-001	RUBBER FENDER EXTENSIONS	20
678-001	LH/RH EXTERIOR GRAB HANDLES	4
646-009	PAINTED HOOD-MOUNTED GRILLE	
644-004	1-PIECE MOLDED FIBERGLASS HOOD& FENDERS	
726-001	SINGLE ELECTRIC HORN	
657-001	DOOR AND IGNITION KEYED THE SAME	
312-008	SINGLE ROUND HALOGEN HEADLIGHTS	
302-001	(5) SMALL MARKER LAMPS	
294-001	INTEGRAL STOP/TURN/TAIL/BACKUP LAMPS...	
	AT END OF FRAME	
300-015	STANDARD FRONT TURN SIGNALS	
744-008	S/S 7" X 16" MIRRORS - W/HEAT- HEATED..	
	MIRRORS ARE WIRED THRU IGNITION	
797-001	DOOR MOUNTED MIRRORS	
796-001	102" TRAILER/BODY WIDTH FOR MIRRORS ...	
743-204	LH 8"/RH 8" CONVEX MIRRORS, BRIGHT.....	
	FINISH MTD UNDER PRIMARY MIRRORS	
74A-001	RH DOWN VIEW MIRROR	
74B-998	NO FENDER MOUNTED MIRRORS	



Freightliner

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.

page 6

DATA BOOK CODE	----- SPECIFICATIONS -----	WEIGHTS-(+) FRONT REAR
768-001	29" X 13" DUAL BOC WINDOWS; CLEAR	
661-003	TINTED DOOR GLASS W/NON-OPERATING DOOR. WING WINDOWS	
663-013	TINTED WINDSHIELD	
659-004	2-1/2 GALLON WINDSHIELD WASHER RESERVOIR	

CAB INTERIOR

707-034	DELUXE INTERIOR GRAY VINYL AND CLOTH ..	
772-006	BLACK FLOOR MATS W/SINGLE INSULATION ..	
785-001	DASH MOUNTED ASH TRAYS & LIGHTER	
742-009	CUP HOLDER ON DASH RIGHT HAND SIDE	
700-002	HEATER/DEPROSTER W/AIR CONDITIONER	70
170-015	STANDARD HEATER PLUMBING	
285-001	AUTOMATIC SELF-RESET CIRCUIT BREAKERS .	
280-001	UNMOUNTED BASIC WIRING DIAGRAM FOR 12V. NEGATIVE GROUND SYSTEM	
324-014	LH/RH DOOR ACTIVATED INTERIOR LIGHTS ..	
756-082	BOSTROM TALLADEGA 910 MIDBACK DRIVER ST	
760-027	BOSTROM MID BACK NON-SUSP PASS SEAT ...	
758-031	GRAY VINYL W/CLOTH INSERT DRIVER/BENCH	
761-031	GRAY VINYL W/CLOTH INSERT PASSENGER ...	
763-003	3 POINT DRIVERS & PASSENGER SEAT BELT.. RETRACTORS	
532-002	ADJ TELESCOPING TILT STEERING COLUMN ..	15
540-006	19" 2-SPOKE BLACK CUSHIONED STRHG WHL .	
765-002	LH & RH INTERIOR SUN VISORS	

INSTRUMENT PANELS & CONTROLS

017-010	AIR GAUGE PACKAGE #7 W/STD GAUGES &.... VOLT, TACHOMETER W/HOUR METER, DUAL AIR PRESS & TRANS TEMP GAUGE	4
198-006	DASH-MTD AIR RESTRICTION WARNING LIGHT	
149-013	CRUISE CONTROL SWITCHES IN LH PANEL ...	
746-041	PANASONIC AM/FM/WEATHERBAND (CRW125)... STEREO RADIO	10
482-998	NO TRACTOR PROTECTION VALVE	
883-997	OMIT TRAILER HAND CONTROL BRAKE VALVE .	
660-008	ELECTRIC W/S WIPERS W/INTERMITTENT..... WIPERS WIRED THRU THE IGNITION	



Freightliner

SPECIFICATION PROPOSAL

03-31-1997

S&S FIRE APPARATUS CO.

page 7

DATA BOOK CODE	----- SPECIFICATIONS -----	WEIGHTS-(+) FRONT REAR	
304-001	STANDARD MARKER LAMP SWITCH		
299-009	GROTE SELF-CANCELLING TURN SIGNAL SWITCH W/INTEGRAL HEADLIGHT BEAM 4-WAY FLASHER		
298-003	HEAVY DUTY MECH TURN SIGNAL FLASHER ...		

PAINT

*	065-999 CUSTOM.....		
	980-1F0 CAB COLOR A: URETHANE N0303 WHITE.....		
	981-1D0 CAB COLOR B: URETHANE N0759 FLAME RED.		
	986-020 CHASSIS COLOR: STANDARD BLACK ENAMEL..		
	962-992 FRONT WHEEL COLOR: VENDOR WHITE.....		
	966-992 REAR WHEEL COLOR: VENDOR WHITE.....		
TOTALS		9343	7405

TOTAL VEHICLE SUMMARY

FRONT WEIGHT TOTAL	9343 lbs
REAR WEIGHT TOTAL	7405 lbs
 TOTAL WEIGHT	 16748 lbs

(+) WEIGHTS SHOWN ARE ESTIMATES ONLY. IF WEIGHT IS CRITICAL,
CONTACT SALES APPLICATION ENGINEERING.



